


Os seus 5 momentos para a higiene das mãos:

Cuidados aos doentes com cateter urinário



5 MEDIDAS-CHAVE ADICIONAIS NA PRESTAÇÃO DE CUIDADOS AO DOENTE COM CATETER URINÁRIO

- Assegurar que está definida uma indicação válida para a colocação do cateter urinário.
- Usar um “sistema de drenagem urinário fechado” e mantê-lo sempre “fechado”.
- Inserir o cateter urinário com técnica assética, usando luvas esterilizadas.
- Avaliar, pelo menos diariamente, a necessidade de manter o cateter urinário e, decidir da sua remoção, logo que deixa de ser clinicamente necessário.
- Os doentes algaliados não necessitam de antibióticos (incluindo para a bacteriúria assintomática), a menos que haja infeção documentada.



World Health
Organization

SAVE LIVES
Clean Your Hands

No Action Today
No Cure Tomorrow

All reasonable precautions have been taken by the World Health Organization to verify the information contained in this document. However, the published material is being distributed without warranty of any kind, either expressed or implied. The responsibility for the interpretation and use of the material lies with the reader. In no event shall the World Health Organization be liable for damages arising from its use. WHO acknowledges for their active participation in developing this material the VA Ann Arbor Healthcare System & University of Michigan's Patient Safety Enhancement Program (www.catheterout.org), Ann Arbor, MI, United States, and the Infection Control and Human Factors Laboratories, University Hospital Zurich, Zurich, Switzerland (www.humanlabz.org). WHO acknowledges the General Directorate of Health, Department of Quality and Safety, Antimicrobial Resistance and Healthcare Associated Infections Programme, Portugal, for the Portuguese translation of this material.